

Specifications

OXYGEN NANOPROBES

1 SENSOR SPECIFICATIONS

Only valid in water for 2-point calibrated sensors at 20°C, 1013mbar absolute pressure, using default measuring parameters/modes!

Specifications are valid for oxygen nanoprobes (item no.: **OXNANO**).

1.1 Dissolved Oxygen: % air saturation, $\mu\text{mol/L}$, mg/L = ppm , mL/L

For a calibrated sensor, the partial oxygen pressure pO_2 in units of hPa (equivalent to mbar) is the fundamental oxygen unit measured by the oxygen meter (in gas and water phases). Oxygen dissolved in water can be expressed in % air saturation and in concentration units like $\mu\text{mol/L}$, mg/L (ppm), and mL/L . For details on calculation of dissolved oxygen units from partial pressure readings (interpolation formula based on temperature, atmospheric pressure and salinity), please see the respective sensor/oxygen meter manuals.

Specifications

Measuring Range	hPa	% air saturation (a.s.)	mg/L (ppm)
Optimum	0-500 hPa	0-250% a.s.	0-22 mg/L
Resolution			
at 10 hPa/5% a.s./0.44 mg/L	0.1 hPa	0.05% a.s.	0.005 mg/L
at 200 hPa/95% a.s./8.8 mg/L	0.5 hPa	0.25% a.s.	0.025 mg/L
Detection Limit	0.2 hPa	0.1% a.s.	0.01 mg/L

* The absolute accuracy of the full range sensors depends on the calibration mode. For 1-point calibrated sensors these values increase due to a decreasing accuracy. More details on request.

1.2 General Characteristics

Response Time (t90) ‡ Water/aqueous solution	real-time
Temperature Range	0°C (32°F) to 50°C (122°F)
Calibration Modes	1-point and 2-point calibration
Application Areas	Laboratory, industry, research. NOT for medical or any safety-critical application. NOT for application in humans. NOT for application in food intended for human consumption.

‡ Typical response times for 90% signal change. For liquids: measured for the transition from air into a stirred solution of 1% Na₂SO₃

2 APPLICABILITY AND CROSS-SENSITIVITY

	Applicability	Cross-Sensitivity	NO Cross-Sensitivity
Water/Aqueous solutions	X		
Illuminated/luminescent samples		X	
Other solvents*		X	
Chlorine gas (Cl ₂), NO ₂ gas, bleach		X	
pH 1-14			X
CO ₂			X
CH ₄			X
H ₂ S			X
Any ionic species			X

* Includes liquid solvents and solvent vapors

3 CLEANING, STERILIZATION, STORAGE

Sterilization	autoclavable few cycles at 121°C for 15 min with special precautions (details on request), gamma sterilization (35 kGy)
Storage	>3 years in darkness at room temperature

Contact

PyroScience GmbH
Hubertusstraße 35
52064 Aachen
Deutschland

Tel.: +49 (0)241 5183 2210
Fax: +49 (0)241 5183 2299
info@pyroscience.com
www.pyroscience.com